

DVR / NVR / VMS & IP CAMERAs integrated with Integra32 & AxiomV Access Control Platforms

| -XXX CODE | BRAND | Product Type (Video Stream Device / | Model # of Product Tested | Tested Product | | SDK version used for the test | Products / Product Line sharing the SDK version used for testing. | Integra32 | | AxiomV | | NOTES |
|--------------|----------------|---|------------------------------------|---------------------|---------------------|--|--|----------------|-------------------|----------------|-------------------|-------------------|
| | | | | FIRMWARE version | SOFTWARE version | | | Comp atible | Tested Version | Comp atible | Tested Version | |
| 001 | AXIS | IP CAMERA | | | | | IP Cameras | Yes | | Yes | 5.2.25 | |
| | | IP CAMERA | | | | 5.4.17 | IP Cameras | No | | Yes | 5.2.57 | |
| 002 | BOSCH | | | | | 2.1.4234 | Divar | Yes | R4.1 | Yes | 5.2.25 | |
| 003 | | | XF Series | | | 1.1.4322 | | No | | Yes | 5.2.43 | |
| 004 | CAMTECH | | | | | | XDR 9000 Embedded | Yes | R4.1[3.7.18] | Yes | 5.2.28 | |
| 005 | | | | | | | PCR-16 PC Based | Yes | R4.1[3.7.18] | Yes | 5.2.28 | |
| | | | | | | 2.4.7.2 | | Yes | R4.2[3.8.16] | Yes | 5.2.57 | Camtech(RBH)-V2.4 |
| 006 | DALLMIER | | | | | 5.5.4 | M-DMS-4 | Yes | R4.1 | Yes | 5.2.25 | |
| 007 | DETEC | | | | | 2.1.1 | DVR | No | | Yes | 5.2.32 | |
| 008 | DIGIOP | Hybrid DVR | S120 | N.A. | 7.6.10055.0 | 7.3.213 | G3 Series of DVR's and NVR's | Yes | R4.1 [3.7.18] | No | | |
| | | Hybrid DVR | S240 | N.A. | 7.6.10055.0 | 7.3.213 | G3 Series of DVR's and NVR's | Yes | R4.1 [3.7.18] | No | | |
| | | Hybrid DVR | H480 | N.A. | 7.6.10055.0 | 7.3.213 | G3 Series of DVR's and NVR's | Yes | R4.1 [3.7.18] | No | | |
| | | NVR | NVR-R | N.A. | 7.6.10055.0 | 7.3.213 | G3 Series of DVR's and NVR's | Yes | R4.1 [3.7.18] | No | | |
| 009 | ELITE | | | | | | ETV Series | Yes | R4.1 | Yes | 5.2.25 | |
| 010 | GENETEC | VMS | | | | 4 | NVR | No | | Yes | 5.2.31 | Genetec |
| | | | | | | 4.7 | NVR | | | Yes | 5.2.59 | Genetec V4.7 |
| 011 | GEOVISION | | | | | | GX800 | No | | Yes | 5.2.25 | |
| 012 | INDIGO VISION | | | | 3.10.15 | 3 | NVR | No | | Yes | 5.2.31 | |
| 013 | INTEGRAL | | | | | | DVX Series | Yes | R4.1 | Yes | 5.2.25 | |
| 014 | MARCH NETWORKS | NVR | | | 5.4.0.0078 | 5.1 | NVR 3205-05 | No | | Yes | 5.2.25 | |
| | | NVR | ESM | | | 2 | | No | | Yes | 5.2.57 | |
| | | NVR | VMS | | | 2.1.3442 | | | No | | Yes | 5.2.59 |

DVR / NVR / VMS & IP CAMERAs integrated with Integra32 & AxiomV Access Control Platforms

| -XXX CODE | BRAND | Product Type (Video Stream Device / | Model # of Product Tested | Tested Product | | SDK version used for the test | Products / Product Line sharing the SDK version used for testing. | Integra32 | | AxiomV | | NOTES |
|--------------|--------------|---|------------------------------------|---------------------|-------------------------------------|--|--|----------------|-------------------|----------------|-------------------|--|
| | | | | FIRMWARE version | SOFTWARE version | | | Comp atible | Tested Version | Comp atible | Tested Version | |
| 015 | PANASONIC | DVR | | | | | WJ-HD316 | Yes | R4.1 | Yes | 5.2.25 | |
| 016 | | NVR | | | | 1.0.0.0 | ND 400 V1.32 | Yes | R4.2 [3.8.1] | Yes | 5.2.31 | |
| | | NVR updated | WJ-ND400 | 3.1 | | 6.0.1.0 | ND400 V3.30 | No | | Yes | 5.2.62 | Added PTZ on May 3, 2013 and tested with ND400 V3.30 |
| 017 | PELCO | | | | | 2.0.0.1 | DX-8100 | No | | Yes | 5.2.55 | According to the manufacturer the SDK used is only compatible with WINDOWS XP OS. As a result the AxiomV Client needs to be installed on a PC with a WINDOWS XP OS |
| 018 | Pelco Endura | | | | | 1.2.0-1614 | | | | Yes | 5.2.48 | Pelco Endura |
| | | | | | | 2.1.2 | | | | Yes | 5.2.61 | Pelco Endura 2.1 |
| 018a | Pelco DS | NVR | Video Edge | | 7.6.32 | 3.5.2 | Pelco Digital Sentry | No | | Yes | 5.2.86 | DirectX required |
| 019 | VICON | | | | 6.6 | 6.5 | NVR | No | | Yes | 5.2.65 | |
| 020 | | | | | 6.6 | 6.5 | Kollector | No | | Yes | 5.2.65 | |
| 021 | RBH | PC Based DVR | | | | 11.5 | PC based | Yes | R4.2 [3.8.6] | Yes | 5.2.53 | RBH-PCW-222 |
| 022 | RBH | Embedded DVR | | | | | Embedded ES Series | Yes | R4.2 [3.8.10] | Yes | 5.2.48 | RBH-EMB-111 |
| | | | | | | | Embedded EX Series | Yes | R4.2 [3.8.10] | Yes | 5.2.48 | RBH-EMB-111 |
| | | | Hybrid DVR | | 5.6.0 | 3.3.8.5251 | Embedded EH Series | Yes | R4.2[3.8.22] | Yes | 5.2.63 | RBH-EMB-112 |
| 024 | Salient | Salient | | | | 3.0.2.2 | | No | | Yes | 5.2.47 | |
| 025 | Milestone | NVR | | | | 1.1.42.45 | | No | | Yes | 5.2.56 | |
| | | | | | Xprotect corporate 2013 V6.0a | 2013R2(4.5) | Xprotect | No | | Yes | 5.2.79 | |

DVR / NVR / VMS & IP CAMERAs integrated with Integra32 & AxiomV Access Control Platforms

| -XXX CODE | BRAND | Product Type (Video Stream Device / | Model # of Product Tested | Tested Product | | SDK version used for the test | Products / Product Line sharing the SDK version used for testing. | Integra32 | | AxiomV | | NOTES |
|--------------|--------------------------------|---|------------------------------------|-----------------------|-------------------------------|--|--|----------------|-------------------|----------------|-------------------|--|
| | | | | FIRMWARE version | SOFTWARE version | | | Comp atible | Tested Version | Comp atible | Tested Version | |
| | | | | | Xprotect corporate 2016 R3 | MIPSDK 2016R3 | Xprotect | No | | Yes | 5.2.95 | Milestone(2016R3) |
| 026 | Verint | DVR | | | | 4.3.30.25401 | | No | | Yes | 5.2.60 | |
| 027 | Avigilon | NVR | 10TB-HD- NVR-LPR | PTZ- 2.4.3.6(6310) | 4.12.0.16(14070) | 4.10.0.30 | ACC Enterprise Edition (with LPR/POS) | No | | Yes | 5.2.63 | |
| | | | HD-NVR3- VAL-18TB | | ACC 5.10.4.6 | ACC 5.10.0.16 | | No | | Yes | 5.2.95 | |
| | | | Updated to HD-NVR3- STD-24TB | | ACC 6.0.2.6 | 6.0.2.6 | ACC 6 | No | | Yes | 5.2.96 | .Net 4.6.2 required. Tested on Windows 7, 8.1, and Windows10 |
| 028 | Samsung | NVR | SRN-470D | | 1.02_1202170832 49 | 1.39.0.0 | | Yes | 3.2.23 | Yes | 5.2.64 | |
| 029 | 3xLogic Vigil 7 | NVR | NDVR-16C- 1000 | | 7 | | Lanbox lite | Yes | 3.2.23 | Yes | 5.2.64 | |
| 030 | ExacqVision | NVR | | | 5.10.4.53466 | 1.20.9.56716 | ExacqVision5 | No | | Yes | 5.2.79 | |
| 031 | American Dynamics (ADVE) | NVR | Video Edge | | 4.3.0.412 R18515 | 4.2 | | No | | Yes | 5.2.78 | |
| 032 | NUUVO | NVR | Sunell Inview 2.5x2.5.20 | N.A. | 3.4.0 | | Sunell Inview | No | | Yes | 5.2.83 | Tested by user with this unit |
| | | | NVR Mini - Model NE- 4160 | 02.02.01.0004 | | 3.0.0.9 | | | | | | |
| 033 | Mobotix | Camera | Mobotix S15D | | | 1.0.2 | | No | | Yes | 5.2.83 | File System: MX-V4-2.1.43 |
| 034 | GVD | NVR | | | 2.9.1.109 | 2.7 | GVD-M6012 | No | | Yes | 5.2.83 | |

DVR / NVR / VMS & IP CAMERAs integrated with Integra32 & AxiomV Access Control Platforms

| -XXX CODE | BRAND | Product Type (Video Stream Device / | Model # of Product Tested | Tested Product | | SDK version used for the test | Products / Product Line sharing the SDK version used for testing. | Integra32 | | AxiomV | | NOTES |
|--------------|---------------------|---|------------------------------------|------------------------|-----------------------|--|--|----------------|-------------------|----------------|-------------------|--|
| | | | | FIRMWARE version | SOFTWARE version | | | Comp atible | Tested Version | Comp atible | Tested Version | |
| 035 | Hikvision | NVR | | V3.1.6 Build 140928 | V1.0 Build 140722 | 4.2.7 win64 | DS-9600 Series | No | | Yes | 5.2.84 | |
| 036 | Digital Watchdog | NVR | | | V2.3.0.8212 | | Standard VMS | Yes | R4.3 [4.1.6] | No | | VLC 2.1.5-win32 required |
| 037 | Xcylops | NVR | XC-4CH- NVR-1TB | | V1.0 Build 130719 | V5.1.1.51 | | Yes | R4.3 [4.1.7] | No | | |
| 038 | Video Insight | NVR | VMS | | VI Server6.2.XX | 1.0.0.0 | Video Insight IP Video Enterprise | No | | Yes | 5.2.89 | |
| 039 | Aimetis Symphony | NVR | | | 6.1462R61012 | 6.14 | Aimetis Symphony Professional Efition | No | | Yes | 5.2.89 | C++2005 and 2008 required |
| 040 | Samsung OCS | NVR | SSM | | V1.40.1_151221 | SSM_OpenCo nsole_SDK_v1 .40_160216 | SSM | No | | Yes | 5.2.92 | Tested in Windows 8.1 64bit and Windows7 32 bit |
| 041 | Samsung-XNS | NVR | SRN-4000P | | 2.06_1510201912 36 | 1.43.5.0 | NVR | No | | Yes | 5.2.92 | Tested in Windows 8.1 64bit and Windows7 32 bit |

Finger Print Readers integrated with Integra32 & AxiomV Access Control Platforms.

| Date Implemented | -xxx CODE | BRAND | Model # of Product Tested | Tested Product | | SDK version used for the test | Products / Product Line sharing the SDK version used for testing. | Integra32 | | AxiomV | | NOTES |
|------------------|-----------|--------------------------|-----------------------------|------------------|------------------|-------------------------------|---|------------|----------------|------------|----------------|--|
| | | | | FIRMWARE version | SOFTWARE version | | | Compatible | Tested Version | Compatible | Tested Version | |
| 14-Aug-09 | 001 | Touch Star | | | | | | Yes | 3.7.25 | No | | |
| 14-Aug-09 | 002 | Touch Star TCP | | | | | | Yes | 3.7.25 | No | | |
| 17-Jun-09 | 003 | ZK | | | | 6.0.2.8 | | Yes | 3.8.6 | Yes | 5.2.36 | |
| 25-Sep-08 | 004 | Bioscrypt | VPass-FX | | | 9.50 | | Yes | 3.8.19 | Yes | 5.2.31 | |
| 27-Jan-09 | | | Vstaion | | | | | No | | Yes | 5.2.31 | |
| 4-Mar-09 | 005 | Keico | | | | | | No | | Yes | 5.2.51 | |
| 23-Jun-10 | 006 | IrisID4000 (iris device) | Idac toolkit 4000 icam 7000 | | 7.05 | 1.04.05 | | No | | Yes | 5.2.58 | |
| 15-Jan-11 | 007 | RBH-BFR200/300 | BFR | 3.01 | | 2.0.5072 | | Yes | 3.8.10 | Yes | 5.2.54 | |
| 26-May-11 | 008 | Sagem | MA500 | 2.13.4 | | 4.0.3 | | Yes | 3.8.14 | Yes | 5.2.56 | |
| 3-May-13 | 009 | Sagem(Morpho) | MAJ-Dual | 3.4 | | 5.4.1 | | No | | Yes | 5.2.71 | |
| 15-Oct-14 | 010 | Recogtech | Sensor V2 FAT 13M351 | 1.5.7.141 | 2.2.1.229 | 2.1.65 | Palm Reader | No | | Yes | 5.2.83 | |
| 22-Jan-16 | 011 | Fujitsu | Sensor V2 FAT 13M351 | | 2.2.2.231 | 1.0.0.1 | Palm Secure | No | | Yes | 5.2.88 | Tested with Ultramaneger V2.2.2.231, doesn't work with newer version |

Disclaimer:

- a) The indicative list of products and/or product lines that share a common SDK was provided by the respective **MANUFACTURERS**. RBH does not extend any warrantee whatsoever that the SDK used are compatible with said list.

- b) **MANUFACTURERS** are known to improve and/or adjust their respective **SOFTWARE / FIRMWARE / SDK** on an **ad hoc** basis. Although RBH endures to incorporate said changes in the respective Integra32 / AxiomV **INTEGRATION MODULES**, RBH does not extend any warrantee whatsoever that the changes were incorporated.

- c) Please confirm with your local sales representative before extending any proposal to an end-user on the exact integration status concerning the specific **BRAND & MODEL** (inclusive of **SOFTWARE / FIRMWARE / SDK** versions) of the **DVR / NVR / VMS / IP CAMERA/Finger Print** reader that is to be integrated.